EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor$4).CLM. and (accept$3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 455/412.1.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 02:17
L2	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor$4).CLM. and (accept$3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/106.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 02:17
L3	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor$4).CLM. and (accept$3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/113.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/17 02:17

S1	2	"20070168912"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 10:06
S3	229	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((compil$3 near4 (program or source or code or application)) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:27
S4	116	((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif $5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:28

| S6 | 0 | ((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif $5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function) and (check$3 same ((data or program) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:30 |
| S7 | 32 | ((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif $5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:31 |

S8	0	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif \$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and ((terminal or mobile) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32
S9	32	((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif \$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:32

| S10 | 0 | ((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif $5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((check$3 or verify $3 or examin$3) near4 ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:33 |
| S11 | 0 | ((paramete$2 or input) same ((creat$3 or generat$3) near5 (program or code or application or source))) and ((instruct$3 or notif $5 or control$3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run $4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((check$3 or verify $3 or examin$3) same ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:34 |

S12	33	((paramete$2 or input) same ((creat$3 or generat$3 or regenerat $3 or develop$5) near5 (program or code or application or source))) and ((instruct $3 or notif$5 or control $3) same ((compil$3 near4 (program or source or code or application))) same (execut$4 or run$4)) and ((predetermind$3 or designat$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:35
S13	1	S12 and ((mobile or remote) near4 device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:38
S15	11	S12 and (((mobile or remote) near4 device) or (PDA))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/27 14:39
S16	68	(((program or source or code) near4 (generat $3 or develop$4 or creat$3 or regenerat $4)) same ((base or basis) near4 (paramete $2 or input))) and (compil$3 near5 (program or source or code)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:43

S17	2	(((program or source or code) near4 (generat $3 or develop$4 or creat$3 or regenerat $4)) same ((base or basis) near4 (paramete $2 or input))) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S18	6	(((program or source or code) near4 (generat $3 or develop$4 or creat$3 or regenerat $4)) same ((base or basis) near4 (paramete $2 or input))) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 16:45
S19	737	(((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat $4)) same (paramete $2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:47

S20	804	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:48
S21	9	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (((investigat$3 or check$3 or examin$3) near3 (program or data or code) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 22:50
S22	165	(((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near3 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)).AB. and (@ad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

		"20030820" or @prad < "20030820" or @rlad < "20030820")				
S23	196	(((program or source or code) near3 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near4 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01
S24	237	(((program or source or code) near3 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:01

| S25 | 100 | (((program or source or code) near3 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc $5)).AB. and ((program or code or data or application) near4 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:02 |
| S26 | 0 | (((program or source or code) near5 (generat$3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)).AB. and ((program or code or data or application) near4 size) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:04 |

S27	0	(((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat$3 or develop $4 or creat$3 or regenerat$4 or produc $5)).AB. and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:04
S28	1	(((program or source or code) near3 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:05
S29	1	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:07

		"20030820" or @prad < "20030820" or @rlad < "20030820")				
S30	4	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5) same (paramete$2 or input)) and (compil$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20060824" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 23:10
S32	778	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38
S33	185	(((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad <	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:38

		"20030820")				
S34	4	(((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same ((base or basis or depend$3) near4 paramete$2)) and (compil$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 00:40
S35	2	"20030149958"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:36
S36	2	"20010046862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:39
S37	2	"6934532".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S38	2	"7257620".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:40
S39	2	"6851106".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41

S40	2	"7152229".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:41
S41	16	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:48
S42	7	S41 and (reduc$5 same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:48
S43	7	S41 and ((reduc$5 or decreas$3 or cut$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:52
S44	8	S41 and ((reduc$5 or decreas$3 or cut$4 or monitor$3 or warn$4) same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:53
S45	16	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/10/29 16:57

S46	10	S45 and (size same (monitor$3 or reduc$4 or cut$4 or decreas$3 or warn$3 or notif$5 or chang$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 16:59
S47	3	S45 and ((size same (paramete$2 or input)) same (limit$3 or notif $5 or warn$4 or aler $5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/29 17:09
S49	203	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc$3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2009/10/30 12:50
S50	97	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc$3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code)near3 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2009/10/30 12:51

S51	90	((bas$2 or basis) near6 ((paramete$2 or input) same ((creat$3 or generat$3 or produc$3 or regenerat$3) near5 (program or code or application or source)))) and (compil $3 near4 (program or source or code or application)) and ((data or program or code) near2 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/30 12:52
S52	29	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/01 22:48
S53	5	S52 and (((limit$3 or eliminat$3 or reduc$3) near4 size) same (inpu $2 or paramete$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/01 22:48

S54	3	S52 and (((input or user) near3 interface) same paramete$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:05
S55	3	S52 and (((input or user or graphical) near7 interface) same paramete$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:08
S56	17	S52 and (((input or user or graphical) near7 interface) same ((generat$4 or produc $4 or regenerat$4) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:09
S57	18	S52 and (((input or user or graphical) near7 interface) same ((generat$4 or produc $4 or regenerat$4 or creat$3) near5 (program or code or software)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 01:10
S58	2	S52 and ((check$3 or compar$3) same (number near6 (input or parameter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:20
S59	2	S52 and ((check$3 or compar$3 or determin $3) same (number near6 (inpu$2 or parameter$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:21
S60	2974	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and ((compar$4 or check$3 or determin $3) near4 (number near4 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:23

S61	313	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3 or determin$3) near4 (number near4 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S62	267	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3 or determin$3) near4 (number near2 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:26
S63	61	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (inpu$2 or paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:29

S64	42	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (paramete$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:30
S65	2	"6928579".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 02:57
S66	32	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$). did. or (JP-60069781-$). did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 11:32

S67	7	S66 and (photograph $3 or film$3 or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 11:33
S68	19	S66 and (photograph $3 or film$3 or camera imag$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:24
S69	19	S66 and (photograph $3 or film$3 or camera or imag$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S70	25	S66 and (photograph $3 or film$3 or camera or imag$3 or graphic $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:44
S71	1	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (paramete$2))) and photograph$3 and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:52
S72	1	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (paramete$2))) and (photograph$3 or film $3) and(@ad < "20030820" or @prad < "20030820" or @rlad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:53

		< "20030820")				
S73	7	(((program or source or code) near6 (generat $3 or develop$4 or creat$3 or regenerat$4 or produc$5)) same (paramete$2 or input)) and (compil$3 near4 (program or code or source)) and ((compar $4 or check$3) near4 (number near2 (inpu$2 or paramete$2))) and (photograph$3 or film $3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 12:55
S74	32	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 13:32

S75	18	S74 and (position$3 or "gps")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:33
S76	18	S74 and (position$3 or "gps" or navigation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:35
S77	28	S74 and (display or "user interface" or "graphical")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:45
S78	28	S74 and (display or (user near3 interface) or "graphical" or "hci")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 13:51
S79	14	S74 and ((search$3 or research$3) near4 (data or information or content or item))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:25
S80	6	S74 and (universal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:34
S81	7	S74 and (universal$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
S82	11	S74 and ((universal$3 or common$2) near3 us $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 14:37
S83	5	S74 and ((universal$3 or common$2) near3 us $3) and characte$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 15:25
S84	24	takashima-norikazu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:46

S85	4	S84 and (accept$3 near3 unit) and (produc $3 near3 unit) and (compil$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:47
S86	8	oikawa-ayumu.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S87	4	S86 and (accept$3 near3 unit) and (produc $3 near3 unit) and (compil$3 near2 unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 17:53
S88	32	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 19:25
S89	8	S88 and (log)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:26

S90	25	S88 and (log or screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:28
S91	7	S88 and (log and screen)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 19:28
S92	2	S88 and acquir$3 and (display or log) and ((accept$3 or receiv$3) near4 paramete$2) and (transmit$4 or transferr$4 or (output near4 paramete$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 20:11
S93	8	S88 and acquir$3 and (display or log) and (transmit$4 or transferr$4 or (output near4 paramete$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 20:12
S94	7	S93 and acquir$3 and (display or log) and (transmit$4 or transferr$4 or (output near4 paramete$2)) and ((program or code or source) near4 (produc$4 or generat$3 or creat$4 or regenerat$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:44
S97	1017	((acquir$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and (transmit$4 or transferr$4 or (output near4 paramete$2)) and ((program or code or source) near4 (produc$4 or generat$3 or creat$4 or regenerat$3)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:55

S98	568	((acquir$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and ((transmit$4 or transferr$4 or (output near4 paramete$2)) same network) and ((program or code or source) near4 (produc $4 or generat$3 or creat$4 or regenerat $3)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:57
S99	565	((acquir$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and ((transmit$4 or transferr$4 or (output near4 paramete$2)) same network) and ((program or code or source) near4 (produc $4 or generat$3 or creat$4)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 21:57

| S100 | 565 | ((acquir$3 same (screen or display)) same (data or information)) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and ((transmit$4 or transferr$4 or (output near4 paramete$2)) same network) and ((program or code or source) near4 (produc $4 or generat$3 or creat$4)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 22:07 |
| S101 | 259 | (acquir$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and ((transmit$4 or transferr$4 or (output near4 paramete$2)) same network) and ((program or code or source) near4 (produc $4 or generat$3 or creat$4)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 22:08 |

S102	42	(acquir$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept$4 or receiv$3) near4 (input or paramete2)) and (((transmit$4 or transferr$4) near4 (program or code or source)) same network) and ((program or code or source) near4 (produc $4 or generat$3 or creat$4)) and (paramete$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 22:09
S103	33	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$ or US-20030177501-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/02 22:54

		60069781-$).did.				
S104	31	S103 and ((acquir$3 or obtain$3 or stor$3) near3 (data or information or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 00:25
S105	21	S103 and ((acquir$3 or obtain$3 or stor$3) near3 (data or information or log)) and ((transfer$3 or transmit$3) near4 (data of information or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 00:26
S106	33	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$ or US-20030177501-$). did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$).did. or (JP-60069781-$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2009/11/03 11:19
S107	4	S106 and (paramete$2 same group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 11:20

S108	2	"6681386".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:23
S109	0	TW-533377	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:25
S110	2	"7016864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/03 14:50
S111	2	"20010046862"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 21:05
S112	5	"20020169591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 21:05
S113	3	"20030051226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 21:06
S114	2	"6091895".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 21:06
S115	39	(US-20070168912-$ or US-20070168911-$ or US-20050080764-$ or US-20030145282-$ or US-20040186817-$ or US-20030149958-$ or US-20090132995-$ or US-20080155497-$ or US-20040205706-$ or US-20040205696-$ or US-20030172369-$ or US-20030167455-$ or US-20030135842-$ or US-20020100014-$ or US-20050010898-$ or US-20040181777-$ or	US-PGPUB; USPAT; JPO	OR	OFF	2010/04/15 21:14

		US-20030177501-$ or US-20010046862-$ or US-20020169591-$ or US-20030051226-$).did. or (US-7257620-$ or US-5228100-$ or US-7152229-$ or US-4692896-$ or US-5819074-$ or US-5878262-$ or US-5937188-$ or US-6934532-$ or US-6851106-$ or US-7389492-$ or US-7313785-$ or US-7278130-$ or US-7137100-$ or US-6681383-$ or US-4992971-$ or US-6681386-$ or US-7016864-$ or US-6091895-$).did. or (JP-60069781-$).did.				
S116	2	S115 and ("PDA" or ((palm or mobile) near2 device)) and (stor$4) and (photograph$3 or camera) and (screen or display) and (accept $3 or command$3) and (compil$3) and (source or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 21:25
S117	3	S115 and ("PDA" or ((palm or mobile) near2 device)) and (stor$4) and (photograph$3 or camera) and (screen or display) and (accept $3 or command$3) and (source or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 22:23
S118	0	("PDA" or ((palm or mobile) near2 device)). CLM. and (stor$4). CLM. and (photograph $3 or camera).CLM. and (screen or display). CLM. and (accept$3 or command$3).CLM. and (source or code).CLM. and 717/140.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 23:39

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor $4).CLM. and (accept $3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/121.CCLS.	USPAT; UPAD	OR	OFF	2010/04/17 02:17
L5	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor $4).CLM. and (accept $3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/121.CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/17 02:18
L6	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor $4).CLM. and (accept $3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/106.CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/17 02:18

L7	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor $4).CLM. and (accept $3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 709/217.CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/17 02:18
L8	0	((program or code or application) near3 (creat$3 or generat $3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor $4).CLM. and (accept $3).CLM. and (produc$4).CLM. and (compil$3).CLM. and (instruct$4 or control$3).CLM. and 717/106.CCLS.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/04/17 02:18

4/17/10 2:19:03 AM
C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10568504new.wsp